

# THE STATE OF ALASKA

Department of Environmental Conservation  
Laboratory Certification Program

*Certificate for Chemical Analysis in Drinking Water*

## Vista Analytical Laboratory

1104 Windfield Way  
El Dorado Hills, CA 95672

CA00413

has complied with the provisions set forth in 18 AAC 80 and is hereby recognized by The Department of Environmental Conservation as **Fully Certified** for the analytical parameter listed on the accompanying Scope of Accreditation. This certificate is effective 7/1/2012, and expires 6/30/2013.



Handwritten signature of Patryce D. McKinney in blue ink.

Patryce D. McKinney  
State of Alaska Certification Authority

Handwritten signature of Lance W. Morris in blue ink.

Lance W. Morris  
Laboratory Chemistry Certification Officer

**THE STATE OF ALASKA**  
**Department of Environmental Conservation**  
**Laboratory Certification Program**

**Scope of Accreditation**

**Expiration: 06/30/2013**

Vista Analytical Laboratory, Inc. CA00413  
1104 Windfield Way  
El Dorado Hills, CA 95762

is certified by the State of Alaska Department of Environmental Conservation, pursuant to 18 AAC 80, to perform analysis for the parameters listed below using the analytical methods indicated. Accreditation for all parameters is final unless indicated in a note. Accreditation is for the latest version of a method unless specified otherwise in a note. EPA refers to the U.S. Environmental Protection Agency. SM refers to American Public Health Association's publication, Standard Methods for the Examination of Water and Wastewater, 18th, 19th or 20th Edition unless otherwise noted. ASTM refers to the American Society for Testing and Materials.

**Drinking Water Chemistry**

Method/Test Name	Reference	Analyte	Matrix	Status
1613B	EPA	Dioxin (2,3,7,8-TCDD)	Water	Approved

