



**BILL RICHARDSON**  
Governor

*State of New Mexico*  
**ENVIRONMENT DEPARTMENT**  
**Water & Wastewater Infrastructure**  
**Development Division**  
**DRINKING WATER BUREAU**  
525 Camino de Los Marquez, Suite 4  
Santa Fe, New Mexico 87505  
Telephone (505) 476-8620  
Fax (505) 476-8656  
[www.nmenv.state.nm.us/dwb/dwbtop.html](http://www.nmenv.state.nm.us/dwb/dwbtop.html)



**RON CURRY**  
Secretary

*Karen Gallegos*  
Director

February 1, 2010

Rose Harrelson  
Vista Analytical Laboratory  
1104 Windfield Way  
El Dorado Hills, CA 95762

Dear Ms. Harrelson:

The Drinking Water Bureau of the New Mexico Environment Department (NMED-DWB) has received and reviewed your NELAP certification /accreditation information from the state of California. The documentation is acceptable and your New Mexico certification is now valid through January 31, 2011.

This certification is to perform drinking water analysis in compliance with the Federal Safe Drinking Water Act, pursuant to 40CFR Part 141, and the New Mexico Environment Department Drinking Water Regulations for the Primary Regulated contaminants, including contaminants as listed in your California Scope Accreditation.

You must advise NMED-DWB of any change in your accreditation by the State of California and continue to provide this office with performance evaluation results. You are also required to provide evidence of renewal of accreditation by the state of California to continue certification past January 31, 2011.

Laboratories certified by New Mexico can be purged from the list if there is no evidence that they are performing drinking water compliance sample analysis for public water supply systems in New Mexico.

If you have any questions or require additional information, please contact me at 505-476-8648.

Sincerely,

Oneva Rivera  
Data/ Lab Coordinator  
[oneva.rivera@state.nm.us](mailto:oneva.rivera@state.nm.us)