

State of Utah
Department of Health
Environmental Laboratory Certification Program


Certification is hereby granted to

Vista Analytical Laboratory Inc.

1104 Windfield Way
El Dorado Hills, CA 95762-5702

*Has conformed with the
2009 TNI Standard
Scope of accreditation is limited to the
State of Utah Accredited Fields of Accreditation
Which accompanies this Certificate*

EPA Number: CA16400
Expiration Date: 1/31/2013
Certificate Number: CA164002012-1



Robyn M. Atkinson, Ph.D, HCLD
Director, Unified State Laboratories: Public Health



Continued accredited status depends on successful ongoing participation in the program.





State of Utah
 Gary R Herbert
 Governor
 Gregory S Bell
 Lieutenant Governor

Utah Department of Health

W. David Patton Ph.D

Executive Director

Disease Control and Prevention

Robyn M. Atkinson, Ph.D, HCLD

Director, Unified State Laboratories: Public Health

Bureau of Laboratory Improvement

David B Mendenhall, MPA, MT (ASCP)

Bureau Director



EPA Number: CA16400

Attachment to Certificate Number: CA164002012-1

Page 1 of 6

Vista Analytical Laboratory Inc.

Start Date Expires AB

Program/Matrix: CWA (Non Potable Water)

Method EPA 1613B

1,2,3,4,6,7,8,9-Octachlorodibenzofuran (OCDF)	2/1/2011	1/31/2013	CA
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD)	2/1/2011	1/31/2013	CA
1,2,3,4,6,7,8-Heptachlorodibenzofuran (1,2,3,4,6,7,8-hpcdf)	2/1/2011	1/31/2013	CA
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (1,2,3,4,6,7,8-hpcdd)	2/1/2011	1/31/2013	CA
1,2,3,4,7,8,9-Heptachlorodibenzofuran (1,2,3,4,7,8,9-hpcdf)	2/1/2011	1/31/2013	CA
1,2,3,4,7,8-Hexachlorodibenzofuran (1,2,3,4,7,8-Hxcdf)	2/1/2011	1/31/2013	CA
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin (1,2,3,4,7,8-Hxcdd)	2/1/2011	1/31/2013	CA
1,2,3,6,7,8-Hexachlorodibenzofuran (1,2,3,6,7,8-Hxcdf)	2/1/2011	1/31/2013	CA
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin(1,2,3,6,7,8-Hxcdd)	2/1/2011	1/31/2013	CA
1,2,3,7,8,9-Hexachlorodibenzofuran (1,2,3,7,8,9-Hxcdf)	2/1/2011	1/31/2013	CA
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (1,2,3,7,8,9-Hxcdd)	2/1/2011	1/31/2013	CA
1,2,3,7,8-Pentachlorodibenzofuran (1,2,3,7,8-Pecdf)	2/1/2011	1/31/2013	CA
1,2,3,7,8-Pentachlorodibenzo-p-dioxin (1,2,3,7,8-Pecdd)	2/1/2011	1/31/2013	CA
2,3,4,6,7,8-Hexachlorodibenzofuran	2/1/2011	1/31/2013	CA
2,3,4,7,8-Pentachlorodibenzofuran	2/1/2011	1/31/2013	CA
2,3,7,8-Tetrachlorodibenzo- p-dioxin (2,3,7,8-TCDD)	2/1/2011	1/31/2013	CA
2,3,7,8-Tetrachlorodibenzofuran	2/1/2011	1/31/2013	CA
Hpcdd, total	2/1/2011	1/31/2013	CA
Hpcdf, total	2/1/2011	1/31/2013	CA
Hxcdd, total	2/1/2011	1/31/2013	CA
Hxcdf, total	2/1/2011	1/31/2013	CA
Pecdd, total	2/1/2011	1/31/2013	CA
Pecdf, total	2/1/2011	1/31/2013	CA
TCDD, total	2/1/2011	1/31/2013	CA
TCDF, total	2/1/2011	1/31/2013	CA

Vista Analytical Laboratory Inc.

Start Date Expires AB

Program/Matrix: RCRA (Non Potable Water)**Method EPA 1613B**

1,2,3,4,6,7,8,9-Octachlorodibenzofuran (OCDF)	2/1/2011	1/31/2013	CA
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD)	2/1/2011	1/31/2013	CA
1,2,3,4,6,7,8-Heptachlorodibenzofuran (1,2,3,4,6,7,8-hpcdf)	2/1/2011	1/31/2013	CA
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (1,2,3,4,6,7,8-hpcdd)	2/1/2011	1/31/2013	CA
1,2,3,4,7,8,9-Heptachlorodibenzofuran (1,2,3,4,7,8,9-hpcdf)	2/1/2011	1/31/2013	CA
1,2,3,4,7,8-Hexachlorodibenzofuran (1,2,3,4,7,8-Hxcdf)	2/1/2011	1/31/2013	CA
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin (1,2,3,4,7,8-Hxcdd)	2/1/2011	1/31/2013	CA
1,2,3,6,7,8-Hexachlorodibenzofuran (1,2,3,6,7,8-Hxcdf)	2/1/2011	1/31/2013	CA
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin(1,2,3,6,7,8-Hxcdd)	2/1/2011	1/31/2013	CA
1,2,3,7,8,9-Hexachlorodibenzofuran (1,2,3,7,8,9-Hxcdf)	2/1/2011	1/31/2013	CA
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (1,2,3,7,8,9-Hxcdd)	2/1/2011	1/31/2013	CA
1,2,3,7,8-Pentachlorodibenzofuran (1,2,3,7,8-Pecdf)	2/1/2011	1/31/2013	CA
1,2,3,7,8-Pentachlorodibenzo-p-dioxin (1,2,3,7,8-Pecdd)	2/1/2011	1/31/2013	CA
2,3,4,6,7,8-Hexachlorodibenzofuran	2/1/2011	1/31/2013	CA
2,3,4,7,8-Pentachlorodibenzofuran	2/1/2011	1/31/2013	CA
2,3,7,8-Tetrachlorodibenzo- p-dioxin (2,3,7,8-TCDD)	2/1/2011	1/31/2013	CA
2,3,7,8-Tetrachlorodibenzofuran	2/1/2011	1/31/2013	CA
Hpcdd, total	2/1/2011	1/31/2013	CA
Hpcdf, total	2/1/2011	1/31/2013	CA
Hxcdd, total	2/1/2011	1/31/2013	CA
Hxcdf, total	2/1/2011	1/31/2013	CA
Pecdd, total	2/1/2011	1/31/2013	CA
Pecdf, total	2/1/2011	1/31/2013	CA
TCDD, total	2/1/2011	1/31/2013	CA
TCDF, total	2/1/2011	1/31/2013	CA

Method EPA 8280A

1,2,3,4,6,7,8,9-Octachlorodibenzofuran (OCDF)	2/1/2011	1/31/2013	CA
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD)	2/1/2011	1/31/2013	CA
1,2,3,4,6,7,8-Heptachlorodibenzofuran (1,2,3,4,6,7,8-hpcdf)	2/1/2011	1/31/2013	CA
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (1,2,3,4,6,7,8-hpcdd)	2/1/2011	1/31/2013	CA
1,2,3,4,7,8,9-Heptachlorodibenzofuran (1,2,3,4,7,8,9-hpcdf)	2/1/2011	1/31/2013	CA
1,2,3,4,7,8-Hexachlorodibenzofuran (1,2,3,4,7,8-Hxcdf)	2/1/2011	1/31/2013	CA
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin (1,2,3,4,7,8-Hxcdd)	2/1/2011	1/31/2013	CA
1,2,3,6,7,8-Hexachlorodibenzofuran (1,2,3,6,7,8-Hxcdf)	2/1/2011	1/31/2013	CA
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin(1,2,3,6,7,8-Hxcdd)	2/1/2011	1/31/2013	CA
1,2,3,7,8,9-Hexachlorodibenzofuran (1,2,3,7,8,9-Hxcdf)	2/1/2011	1/31/2013	CA
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (1,2,3,7,8,9-Hxcdd)	2/1/2011	1/31/2013	CA
1,2,3,7,8-Pentachlorodibenzofuran (1,2,3,7,8-Pecdf)	2/1/2011	1/31/2013	CA
1,2,3,7,8-Pentachlorodibenzo-p-dioxin (1,2,3,7,8-Pecdd)	2/1/2011	1/31/2013	CA
2,3,4,6,7,8-Hexachlorodibenzofuran	2/1/2011	1/31/2013	CA
2,3,4,7,8-Pentachlorodibenzofuran	2/1/2011	1/31/2013	CA
2,3,7,8-Tetrachlorodibenzo- p-dioxin (2,3,7,8-TCDD)	2/1/2011	1/31/2013	CA
2,3,7,8-Tetrachlorodibenzofuran	2/1/2011	1/31/2013	CA
Hpcdd, total	2/1/2011	1/31/2013	CA
Hpcdf, total	2/1/2011	1/31/2013	CA
Hxcdd, total	2/1/2011	1/31/2013	CA
Hxcdf, total	2/1/2011	1/31/2013	CA

Vista Analytical Laboratory Inc.

Start Date Expires AB

Program/Matrix: RCRA (Non Potable Water)

Pecdd, total	2/1/2011	1/31/2013	CA
Pecdf, total	2/1/2011	1/31/2013	CA
TCDD, total	2/1/2011	1/31/2013	CA
TCDF, total	2/1/2011	1/31/2013	CA

Method EPA 8290

1,2,3,4,6,7,8,9-Octachlorodibenzofuran (OCDF)	2/1/2011	1/31/2013	CA
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD)	2/1/2011	1/31/2013	CA
1,2,3,4,6,7,8-Heptachlorodibenzofuran (1,2,3,4,6,7,8-hpcdf)	2/1/2011	1/31/2013	CA
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (1,2,3,4,6,7,8-hpcdd)	2/1/2011	1/31/2013	CA
1,2,3,4,7,8,9-Heptachlorodibenzofuran (1,2,3,4,7,8,9-hpcdf)	2/1/2011	1/31/2013	CA
1,2,3,4,7,8-Hexachlorodibenzofuran (1,2,3,4,7,8-Hxcdf)	2/1/2011	1/31/2013	CA
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin (1,2,3,4,7,8-Hxcdd)	2/1/2011	1/31/2013	CA
1,2,3,6,7,8-Hexachlorodibenzofuran (1,2,3,6,7,8-Hxcdf)	2/1/2011	1/31/2013	CA
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin(1,2,3,6,7,8-Hxcdd)	2/1/2011	1/31/2013	CA
1,2,3,7,8,9-Hexachlorodibenzofuran (1,2,3,7,8,9-Hxcdf)	2/1/2011	1/31/2013	CA
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (1,2,3,7,8,9-Hxcdd)	2/1/2011	1/31/2013	CA
1,2,3,7,8-Pentachlorodibenzofuran (1,2,3,7,8-Pecdf)	2/1/2011	1/31/2013	CA
1,2,3,7,8-Pentachlorodibenzo-p-dioxin (1,2,3,7,8-Pecdd)	2/1/2011	1/31/2013	CA
2,3,4,6,7,8-Hexachlorodibenzofuran	2/1/2011	1/31/2013	CA
2,3,4,7,8-Pentachlorodibenzofuran	2/1/2011	1/31/2013	CA
2,3,7,8-Tetrachlorodibenzo- p-dioxin (2,3,7,8-TCDD)	2/1/2011	1/31/2013	CA
2,3,7,8-Tetrachlorodibenzofuran	2/1/2011	1/31/2013	CA

Vista Analytical Laboratory Inc.

Start Date Expires AB

Program/Matrix: RCRA (Solid & Hazardous Material)**Method EPA 1613B**

1,2,3,4,6,7,8,9-Octachlorodibenzofuran (OCDF)	2/1/2011	1/31/2013	CA
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD)	2/1/2011	1/31/2013	CA
1,2,3,4,6,7,8-Heptachlorodibenzofuran (1,2,3,4,6,7,8-hpcdf)	2/1/2011	1/31/2013	CA
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (1,2,3,4,6,7,8-hpcdd)	2/1/2011	1/31/2013	CA
1,2,3,4,7,8,9-Heptachlorodibenzofuran (1,2,3,4,7,8,9-hpcdf)	2/1/2011	1/31/2013	CA
1,2,3,4,7,8-Hexachlorodibenzofuran (1,2,3,4,7,8-Hxcdf)	2/1/2011	1/31/2013	CA
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin (1,2,3,4,7,8-Hxcdd)	2/1/2011	1/31/2013	CA
1,2,3,6,7,8-Hexachlorodibenzofuran (1,2,3,6,7,8-Hxcdf)	2/1/2011	1/31/2013	CA
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin(1,2,3,6,7,8-Hxcdd)	2/1/2011	1/31/2013	CA
1,2,3,7,8,9-Hexachlorodibenzofuran (1,2,3,7,8,9-Hxcdf)	2/1/2011	1/31/2013	CA
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (1,2,3,7,8,9-Hxcdd)	2/1/2011	1/31/2013	CA
1,2,3,7,8-Pentachlorodibenzofuran (1,2,3,7,8-Pecdf)	2/1/2011	1/31/2013	CA
1,2,3,7,8-Pentachlorodibenzo-p-dioxin (1,2,3,7,8-Pecdd)	2/1/2011	1/31/2013	CA
2,3,4,6,7,8-Hexachlorodibenzofuran	2/1/2011	1/31/2013	CA
2,3,4,7,8-Pentachlorodibenzofuran	2/1/2011	1/31/2013	CA
2,3,7,8-Tetrachlorodibenzo- p-dioxin (2,3,7,8-TCDD)	2/1/2011	1/31/2013	CA
2,3,7,8-Tetrachlorodibenzofuran	2/1/2011	1/31/2013	CA
Hpcdd, total	2/1/2011	1/31/2013	CA
Hpcdf, total	2/1/2011	1/31/2013	CA
Hxcdd, total	2/1/2011	1/31/2013	CA
Hxcdf, total	2/1/2011	1/31/2013	CA
Pecdd, total	2/1/2011	1/31/2013	CA
Pecdf, total	2/1/2011	1/31/2013	CA
TCDD, total	2/1/2011	1/31/2013	CA
TCDF, total	2/1/2011	1/31/2013	CA

Method EPA 8280A

1,2,3,4,6,7,8,9-Octachlorodibenzofuran (OCDF)	2/1/2011	1/31/2013	CA
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD)	2/1/2011	1/31/2013	CA
1,2,3,4,6,7,8-Heptachlorodibenzofuran (1,2,3,4,6,7,8-hpcdf)	2/1/2011	1/31/2013	CA
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (1,2,3,4,6,7,8-hpcdd)	2/1/2011	1/31/2013	CA
1,2,3,4,7,8,9-Heptachlorodibenzofuran (1,2,3,4,7,8,9-hpcdf)	2/1/2011	1/31/2013	CA
1,2,3,4,7,8-Hexachlorodibenzofuran (1,2,3,4,7,8-Hxcdf)	2/1/2011	1/31/2013	CA
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin (1,2,3,4,7,8-Hxcdd)	2/1/2011	1/31/2013	CA
1,2,3,6,7,8-Hexachlorodibenzofuran (1,2,3,6,7,8-Hxcdf)	2/1/2011	1/31/2013	CA
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin(1,2,3,6,7,8-Hxcdd)	2/1/2011	1/31/2013	CA
1,2,3,7,8,9-Hexachlorodibenzofuran (1,2,3,7,8,9-Hxcdf)	2/1/2011	1/31/2013	CA
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (1,2,3,7,8,9-Hxcdd)	2/1/2011	1/31/2013	CA
1,2,3,7,8-Pentachlorodibenzofuran (1,2,3,7,8-Pecdf)	2/1/2011	1/31/2013	CA
1,2,3,7,8-Pentachlorodibenzo-p-dioxin (1,2,3,7,8-Pecdd)	2/1/2011	1/31/2013	CA
2,3,4,6,7,8-Hexachlorodibenzofuran	2/1/2011	1/31/2013	CA
2,3,4,7,8-Pentachlorodibenzofuran	2/1/2011	1/31/2013	CA
2,3,7,8-Tetrachlorodibenzo- p-dioxin (2,3,7,8-TCDD)	2/1/2011	1/31/2013	CA
2,3,7,8-Tetrachlorodibenzofuran	2/1/2011	1/31/2013	CA
Hpcdd, total	2/1/2011	1/31/2013	CA
Hpcdf, total	2/1/2011	1/31/2013	CA
Hxcdd, total	2/1/2011	1/31/2013	CA
Hxcdf, total	2/1/2011	1/31/2013	CA

Vista Analytical Laboratory Inc.

Start Date Expires AB

Program/Matrix: RCRA (Solid & Hazardous Material)

Pecdd, total	2/1/2011	1/31/2013	CA
Pecdf, total	2/1/2011	1/31/2013	CA
TCDD, total	2/1/2011	1/31/2013	CA
TCDF, total	2/1/2011	1/31/2013	CA

Method EPA 8290

1,2,3,4,6,7,8,9-Octachlorodibenzofuran (OCDF)	2/1/2011	1/31/2013	CA
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD)	2/1/2011	1/31/2013	CA
1,2,3,4,6,7,8-Heptachlorodibenzofuran (1,2,3,4,6,7,8-hpcdf)	2/1/2011	1/31/2013	CA
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (1,2,3,4,6,7,8-hpcdd)	2/1/2011	1/31/2013	CA
1,2,3,4,7,8,9-Heptachlorodibenzofuran (1,2,3,4,7,8,9-hpcdf)	2/1/2011	1/31/2013	CA
1,2,3,4,7,8-Hexachlorodibenzofuran (1,2,3,4,7,8-Hxcdf)	2/1/2011	1/31/2013	CA
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin (1,2,3,4,7,8-Hxcdd)	2/1/2011	1/31/2013	CA
1,2,3,6,7,8-Hexachlorodibenzofuran (1,2,3,6,7,8-Hxcdf)	2/1/2011	1/31/2013	CA
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin(1,2,3,6,7,8-Hxcdd)	2/1/2011	1/31/2013	CA
1,2,3,7,8,9-Hexachlorodibenzofuran (1,2,3,7,8,9-Hxcdf)	2/1/2011	1/31/2013	CA
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (1,2,3,7,8,9-Hxcdd)	2/1/2011	1/31/2013	CA
1,2,3,7,8-Pentachlorodibenzofuran (1,2,3,7,8-Pecdf)	2/1/2011	1/31/2013	CA
1,2,3,7,8-Pentachlorodibenzo-p-dioxin (1,2,3,7,8-Pecdd)	2/1/2011	1/31/2013	CA
2,3,4,6,7,8-Hexachlorodibenzofuran	2/1/2011	1/31/2013	CA
2,3,4,7,8-Pentachlorodibenzofuran	2/1/2011	1/31/2013	CA
2,3,7,8-Tetrachlorodibenzo- p-dioxin (2,3,7,8-TCDD)	2/1/2011	1/31/2013	CA
2,3,7,8-Tetrachlorodibenzofuran	2/1/2011	1/31/2013	CA

Vista Analytical Laboratory Inc.

Start Date Expires AB

Program/Matrix: SDWA (Potable Water)

Method EPA 1613

2,3,7,8-Tetrachlorodibenzo- p-dioxin (2,3,7,8-TCDD)

2/1/2011 1/31/2013 CA

The Utah Environmental Laboratory Certification Program (ELCP) encourages clients and data users to verify the most current certification letter for the authorized method.

The analytes by method which a laboratory is authorized to perform at any given time will be those indicated in the most recent certificate letter. The most recent certification letter supersedes all previous certification or authorization letters. It is the certified laboratory's responsibility to review this letter for discrepancies. The certified laboratory must document any discrepancies in this letter and send notice to this bureau within 15 days of receipt. This certificate letter will be recalled in the event your laboratory's certification is revoked.