

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2020
Issued April 01, 2019

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. MARTHA MAIER
VISTA ANALYTICAL LABORATORY
1104 WINDFIELD WAY
EL DORADO HILLS, CA 95762

NY Lab Id No: 11411

is hereby **APPROVED** as an **Environmental Laboratory** in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2003) for the category
ENVIRONMENTAL ANALYSES POTABLE WATER
All approved analytes are listed below:

Perfluorinated Alkyl Acids

Perfluorooctanesulfonic acid (PFOS)	EPA 537
Perfluorooctanoic acid (PFOA)	EPA 537

NEW
YORK
STATE

Department
of Health

Serial No.: 59631

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2020
Issued April 01, 2019

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. MARTHA MAIER
VISTA ANALYTICAL LABORATORY
1104 WINDFIELD WAY
EL DORADO HILLS, CA 95762

NY Lab Id No: 11411

is hereby APPROVED as an Environmental Laboratory for the category
ENVIRONMENTAL ANALYSES POTABLE WATER
All approved subcategories and/or analytes are listed below.

Perfluorinated Alkyl Acids

Perfluorooctanesulfonic acid (PFOS)	ISO 25101
Perfluorooctanoic acid (PFOA)	ISO 25101

NEW
YORK
STATE

Department
of Health

Serial No.: 59632

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2020
Issued April 01, 2019

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. MARTHA MAIER
VISTA ANALYTICAL LABORATORY
1104 WINDFIELD WAY
EL DORADO HILLS, CA 95762

NY Lab Id No: 11411

is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2003) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:

Dioxins and Furans

2,3,7,8-Tetrachlorodibenzofuran	EPA 1613B
2,3,7,8-Tetrachlorodibenzo-p-dioxin	EPA 613
	EPA 8280B
	EPA 1613B

Polychlorinated Biphenyls

PCB 105	EPA 1668A
PCB 114	EPA 1668A
PCB 118	EPA 1668A
PCB 123	EPA 1668A
PCB 126	EPA 1668A
PCB 156	EPA 1668A
PCB 157	EPA 1668A
PCB 167	EPA 1668A
PCB 169	EPA 1668A
PCB 189	EPA 1668A
PCB 77	EPA 1668A
PCB 81	EPA 1668A

NEW
YORK
STATE

Department
of Health

Serial No.: 59633

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2020
Issued April 01, 2019

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. MARTHA MAIER
VISTA ANALYTICAL LABORATORY
1104 WINDFIELD WAY
EL DORADO HILLS, CA 95762

NY Lab Id No: 11411

is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2003) for the category
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved analytes are listed below:

Dioxins and Furans

2,3,7,8-Tetrachlorodibenzofuran	EPA 8290A
2,3,7,8-Tetrachlorodibenzo-p-dioxin	EPA 8290A

Polychlorinated Biphenyls

PCB 105	EPA 1668A
PCB 114	EPA 1668A
PCB 118	EPA 1668A
PCB 123	EPA 1668A
PCB 126	EPA 1668A
PCB 151	EPA 1668A
PCB 156	EPA 1668A
PCB 157	EPA 1668A
PCB 167	EPA 1668A
PCB 169	EPA 1668A
PCB 189	EPA 1668A
PCB 77	EPA 1668A
PCB 81	EPA 1668A

NEW
YORK
STATE

Department
of Health

Serial No.: 59634

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2020

Issued April 01, 2019

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. MARTHA MAIER
VISTA ANALYTICAL LABORATORY
1104 WINDFIELD WAY
EL DORADO HILLS, CA 95762

NY Lab Id No: 11411

is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2003) for the category
ENVIRONMENTAL ANALYSES AIR AND EMISSIONS
All approved analytes are listed below:

Dioxins and Furans

1,2,3,4,6,7,8,9-Octachlorodibenzofuran	EPA 23
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-diox	EPA 23
1,2,3,4,6,7,8-Heptachlorodibenzofuran	EPA 23
1,2,3,4,6,7,8-Heptachlorodibenzo-p-diox	EPA 23
1,2,3,4,7,8,9-Heptachlorodibenzofuran	EPA 23
1,2,3,4,7,8-Hexachlorodibenzofuran	EPA 23
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	EPA 23
1,2,3,6,7,8-Hexachlorodibenzofuran	EPA 23
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin	EPA 23
1,2,3,7,8,9-Hexachlorodibenzofuran	EPA 23
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin	EPA 23
1,2,3,7,8-Pentachlorodibenzofuran	EPA 23
1,2,3,7,8-Pentachlorodibenzo-p-dioxin	EPA 23
2,3,4,6,7,8-Hexachlorodibenzofuran	EPA 23
2,3,4,7,8-Pentachlorodibenzofuran	EPA 23
2,3,7,8-Tetrachlorodibenzofuran	EPA 23
2,3,7,8-Tetrachlorodibenzo-p-dioxin	EPA 23

NEW
YORK
STATE

Department
of Health

Serial No.: 59635

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.

