



THE STATE
of **ALASKA**
GOVERNOR MICHAEL J. DUNLEAVY

Department of Environmental Conservation

DIVISION OF SPILL PREVENTION AND RESPONSE
Contaminated Sites Program
Laboratory Approval Program

555 Cordova Street
Anchorage, Alaska 99501
Main: 907.465.5390
Fax: 907.269.7649
cs.lab.cert@alaska.gov

October 1, 2019

Martha Maier
Vista Analytical Laboratory, Inc.
1104 Windfield Way
El Dorado Hills, CA 95762

RE: Contaminated Sites Laboratory Approval **17-013**

Dear Ms. Maier,

Thank you for submitting an application to the Alaska Department of Environmental Conservation's Contaminated Sites Laboratory Approval Program (CS-LAP), on August 12, 2019. Based on your lab's Department of Defense Environmental Laboratory Accreditation Program (DoD-ELAP) approval through the American Association for Laboratory Accreditation (A2LA), Vista Analytical Laboratory, Inc., located at the above address, is granted **Approved** status to perform the analyses listed in the attached *Scope of Approval*, for Alaska contaminated sites projects, including underground storage tanks and leaking underground storage tank sites (UST/LUST), under the July 1, 2017 amendments to 18 AAC 78. This approval is effective September 30, 2019 and expires on **September 30, 2021**.

Be aware that **any** changes in your DoD-ELAP approval status must be reported to the CS program within 3 business days. Failure to do so will result in revocation of **all** CS-LAP approvals for a period of one year. Notification should be in writing sent to cs.lab.cert@alaska.gov. We recommend also contacting the CS-LAP by telephone to verify that the message was received.

Please remember to include the laboratory's ID number, listed above, on all correspondence concerning the laboratory. To apply for renewal of your approval, please complete the application found on the CS-LAP webpage and submit to cs.submittals@alaska.gov. The required documentation must be submitted for renewal no later than 30 days before your date of expiration.

If you have any questions, please contact the CS-LAP at (907) 465-5390, or by email at cs.lab.cert@alaska.gov. Labs are also highly encouraged to join the CS-LAP listserv by going to <http://list.state.ak.us/mailman/listinfo/cs.lab.approval>.

Respectfully,

A handwritten signature in blue ink that reads "Brian Englund".

Brian Englund

Attachment: Scope of Approval

Scope of Approval

CAS Number	Matrix	Hazardous Substance	Method	Accreditation Body
375-73-5	Water	Perfluorobutanesulfonic acid (PFBS)	537.1	A2LA
375-73-5	Soil	Perfluorobutanesulfonic acid (PFBS)	PFAS by LCMSMS Compliant with QSM 5.3 Table B-15	A2LA
375-85-9	Water	Perfluoroheptanoic acid (PFHpA)	537.1	A2LA
375-85-9	Soil	Perfluoroheptanoic acid (PFHpA)	PFAS by LCMSMS Compliant with QSM 5.3 Table B-15	A2LA
355-46-4	Water	Perfluorohexanesulfonic acid (PFHxS)	537.1	A2LA
355-46-4	Soil	Perfluorohexanesulfonic acid (PFHxS)	PFAS by LCMSMS Compliant with QSM 5.3 Table B-15	A2LA
375-95-1	Water	Perfluorononanoic acid (PFNA)	537.1	A2LA
375-95-1	Soil	Perfluorononanoic acid (PFNA)	PFAS by LCMSMS Compliant with QSM 5.3 Table B-15	A2LA
1763-23-1	Water	Perfluorooctane Sulphonic Acid (PFOS)	537.1	A2LA
1763-23-1	Soil	Perfluorooctane Sulphonic Acid (PFOS)	PFAS by LCMSMS Compliant with QSM 5.3 Table B-15	A2LA
335-67-1	Water	Perfluorooctanoic acid (PFOA)	537.1	A2LA
335-67-1	Soil	Perfluorooctanoic acid (PFOA)	PFAS by LCMSMS Compliant with QSM 5.3 Table B-15	A2LA