



Department of Health

ANDREW M. CUOMO
Governor

HOWARD A. ZUCKER, M.D., J.D.
Commissioner

LISA J. PINO, M.A., J.D.
Executive Deputy Commissioner

LAB ID: 11411

April 01, 2021

MS. MARTHA MAIER
VISTA ANALYTICAL LABORATORY
1104 WINDFIELD WAY
EL DORADO HILLS, CA 95762

Certificate Expiration Date:
April 01, 2022

Dear Ms. Maier,

Enclosed are certificate(s) of approval issued to your environmental laboratory for the current permit year. The certificate(s) supersede(s) any previously issued one(s) and is(are) in effect through the expiration date listed. Please carefully examine the certificate(s) to insure that the categories, subcategories, analytes, and methods for which your laboratory is approved are correct. In addition, verify that your laboratory's name, address, lead technical director, and identification number are accurate.

Pursuant to NYCRR Subpart 55-2.2, original certificates must be posted conspicuously in the laboratory and copies shall be made available to any client of the laboratory upon request.

Pursuant to NYCRR Subpart 55-2.6, any misrepresentation of the fields of accreditation (category - method - analyte) for which your laboratory is approved may result in denial, suspension, or revocation of your certification. Any use of the Environmental Laboratory Approval Program (ELAP) or National Environmental Laboratory Accreditation Program (NELAP) name, reference to the laboratory's approval status, and/or using the NELAP logo in any catalogs, advertising, business solicitations, proposals, quotations, laboratory analytical reports, or other materials must include the laboratory's ELAP identification number and distinguish between testing for which the laboratory is approved and testing for which the laboratory is not approved.

If you have any questions, please contact us at the Environmental Laboratory Approval Program, Wadsworth Center, New York State Department of Health, Empire State Plaza, Albany NY, 12237; by phone at (518) 485-5570; by facsimile at (518) 485-5568; and by email at elap@health.ny.gov.

Sincerely,

Victoria Pretti
Director and QA Officer
Environmental Laboratory Approval Program

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

Expires 12:01 AM April 01, 2022
Issued April 01, 2021



CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. MARTHA MAIER
VISTA ANALYTICAL LABORATORY
1104 WINDFIELD WAY
EL DORADO HILLS, CA 95762

NY Lab Id No: 11411

is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES POTABLE WATER
All approved analytes are listed below:

Perfluorinated Alkyl Acids

Perfluorooctanesulfonic acid (PFOS)	EPA 537
Perfluorooctanoic acid (PFOA)	EPA 537



Department
of Health

Serial No.: 62963

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2022
Issued April 01, 2021

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. MARTHA MAIER
VISTA ANALYTICAL LABORATORY
1104 WINDFIELD WAY
EL DORADO HILLS, CA 95762

NY Lab Id No: 11411

is hereby APPROVED as an Environmental Laboratory for the category
ENVIRONMENTAL ANALYSES POTABLE WATER
All approved subcategories and/or analytes are listed below:

Perfluorinated Alkyl Acids

Perfluorooctanesulfonic acid (PFOS)	ISO 25101
Perfluorooctanoic acid (PFOA)	ISO 25101



Department
of Health

Serial No.: 62964

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2022
Issued April 01, 2021

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. MARTHA MAIER
VISTA ANALYTICAL LABORATORY
1104 WINDFIELD WAY
EL DORADO HILLS, CA 95762

NY Lab Id No: 11411

is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:

Dioxins and Furans

1,2,3,4,6,7,8,9-Octachlorodibenzofuran	EPA 1613B
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-diox	EPA 1613B
1,2,3,4,6,7,8-Heptachlorodibenzofuran	EPA 1613B
1,2,3,4,6,7,8-Heptachlorodibenzo-p-diox	EPA 1613B
1,2,3,4,7,8,9-Heptachlorodibenzofuran	EPA 1613B
1,2,3,4,7,8-Hexachlorodibenzofuran	EPA 1613B
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	EPA 1613B
1,2,3,6,7,8-Hexachlorodibenzofuran	EPA 1613B
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin	EPA 1613B
1,2,3,7,8,9-Hexachlorodibenzofuran	EPA 1613B
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin	EPA 1613B
1,2,3,7,8-Pentachlorodibenzofuran	EPA 1613B
2,3,4,6,7,8-Hexachlorodibenzofuran	EPA 1613B
2,3,4,7,8-Pentachlorodibenzofuran	EPA 1613B
2,3,7,8-Tetrachlorodibenzofuran	EPA 1613B
2,3,7,8-Tetrachlorodibenzo-p-dioxin	EPA 613
	EPA 8280B
	EPA 1613B

Polychlorinated Biphenyls

PCB 1	EPA 1668C
PCB 10	EPA 1668C
PCB 100	EPA 1668C
PCB 101	EPA 1668C
PCB 102	EPA 1668C
PCB 103	EPA 1668C

Polychlorinated Biphenyls

PCB 104	EPA 1668C
PCB 105	EPA 1668C
PCB 106	EPA 1668C
PCB 107	EPA 1668C
PCB 108	EPA 1668C
PCB 109	EPA 1668C
PCB 11	EPA 1668C
PCB 110	EPA 1668C
PCB 111	EPA 1668C
PCB 112	EPA 1668C
PCB 113	EPA 1668C
PCB 114	EPA 1668C
PCB 115	EPA 1668C
PCB 116	EPA 1668C
PCB 117	EPA 1668C
PCB 118	EPA 1668C
PCB 119	EPA 1668C
PCB 12	EPA 1668C
PCB 120	EPA 1668C
PCB 121	EPA 1668C
PCB 122	EPA 1668C
PCB 123	EPA 1668C
PCB 124	EPA 1668C
PCB 125	EPA 1668C
PCB 126	EPA 1668C
PCB 127	EPA 1668C

Serial No.: 62965

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2022
Issued April 01, 2021

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. MARTHA MAIER
VISTA ANALYTICAL LABORATORY
1104 WINDFIELD WAY
EL DORADO HILLS, CA 95762

NY Lab Id No: 11411

is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:

Polychlorinated Biphenyls

PCB 128	EPA 1668C
PCB 129	EPA 1668C
PCB 13	EPA 1668C
PCB 130	EPA 1668C
PCB 131	EPA 1668C
PCB 132	EPA 1668C
PCB 133	EPA 1668C
PCB 134	EPA 1668C
PCB 135	EPA 1668C
PCB 136	EPA 1668C
PCB 137	EPA 1668C
PCB 138	EPA 1668C
PCB 139	EPA 1668C
PCB 14	EPA 1668C
PCB 140	EPA 1668C
PCB 141	EPA 1668C
PCB 142	EPA 1668C
PCB 143	EPA 1668C
PCB 144	EPA 1668C
PCB 145	EPA 1668C
PCB 146	EPA 1668C
PCB 147	EPA 1668C
PCB 148	EPA 1668C
PCB 149	EPA 1668C
PCB 15	EPA 1668C
PCB 150	EPA 1668C

Polychlorinated Biphenyls

PCB 151	EPA 1668C
PCB 152	EPA 1668C
PCB 153	EPA 1668C
PCB 154	EPA 1668C
PCB 155	EPA 1668C
PCB 156	EPA 1668C
PCB 157	EPA 1668C
PCB 158	EPA 1668C
PCB 159	EPA 1668C
PCB 16	EPA 1668C
PCB 160	EPA 1668C
PCB 161	EPA 1668C
PCB 162	EPA 1668C
PCB 163	EPA 1668C
PCB 164	EPA 1668C
PCB 165	EPA 1668C
PCB 166	EPA 1668C
PCB 167	EPA 1668C
PCB 168	EPA 1668C
PCB 169	EPA 1668C
PCB 17	EPA 1668C
PCB 170	EPA 1668C
PCB 171	EPA 1668C
PCB 172	EPA 1668C
PCB 173	EPA 1668C
PCB 174	EPA 1668C

Serial No.: 62965

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2022
Issued April 01, 2021

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. MARTHA MAIER
VISTA ANALYTICAL LABORATORY
1104 WINDFIELD WAY
EL DORADO HILLS, CA 95762

NY Lab Id No: 11411

is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES-NON POTABLE WATER
All approved analytes are listed below:

Polychlorinated Biphenyls

PCB 175	EPA 1668C
PCB 176	EPA 1668C
PCB 177	EPA 1668C
PCB 178	EPA 1668C
PCB 179	EPA 1668C
PCB 18	EPA 1668C
PCB 180	EPA 1668C
PCB 181	EPA 1668C
PCB 182	EPA 1668C
PCB 183	EPA 1668C
PCB 184	EPA 1668C
PCB 185	EPA 1668C
PCB 186	EPA 1668C
PCB 187	EPA 1668C
PCB 188	EPA 1668C
PCB 189	EPA 1668C
PCB 19	EPA 1668C
PCB 190	EPA 1668C
PCB 191	EPA 1668C
PCB 192	EPA 1668C
PCB 193	EPA 1668C
PCB 194	EPA 1668C
PCB 195	EPA 1668C
PCB 196	EPA 1668C
PCB 197	EPA 1668C
PCB 198	EPA 1668C

Polychlorinated Biphenyls

PCB 199	EPA 1668C
PCB 2	EPA 1668C
PCB 20	EPA 1668C
PCB 200	EPA 1668C
PCB 201	EPA 1668C
PCB 202	EPA 1668C
PCB 203	EPA 1668C
PCB 204	EPA 1668C
PCB 205	EPA 1668C
PCB 206	EPA 1668C
PCB 207	EPA 1668C
PCB 208	EPA 1668C
PCB 209	EPA 1668C
PCB 21	EPA 1668C
PCB 22	EPA 1668C
PCB 23	EPA 1668C
PCB 24	EPA 1668C
PCB 25	EPA 1668C
PCB 26	EPA 1668C
PCB 27	EPA 1668C
PCB 28	EPA 1668C
PCB 29	EPA 1668C
PCB 3	EPA 1668C
PCB 30	EPA 1668C
PCB 31	EPA 1668C
PCB 32	EPA 1668C

Serial No.: 62965

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2022
Issued April 01, 2021

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. MARTHA MAIER
VISTA ANALYTICAL LABORATORY
1104 WINDFIELD WAY
EL DORADO HILLS, CA 95762

NY Lab Id No: 11411

is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:

Polychlorinated Biphenyls

Polychlorinated Biphenyls

PCB 33	EPA 1668C
PCB 34	EPA 1668C
PCB 35	EPA 1668C
PCB 36	EPA 1668C
PCB 37	EPA 1668C
PCB 38	EPA 1668C
PCB 39	EPA 1668C
PCB 4	EPA 1668C
PCB 40	EPA 1668C
PCB 41	EPA 1668C
PCB 42	EPA 1668C
PCB 43	EPA 1668C
PCB 44	EPA 1668C
PCB 45	EPA 1668C
PCB 46	EPA 1668C
PCB 47	EPA 1668C
PCB 48	EPA 1668C
PCB 49	EPA 1668C
PCB 5	EPA 1668C
PCB 50	EPA 1668C
PCB 51	EPA 1668C
PCB 52	EPA 1668C
PCB 53	EPA 1668C
PCB 54	EPA 1668C
PCB 55	EPA 1668C
PCB 56	EPA 1668C

PCB 57	EPA 1668C
PCB 58	EPA 1668C
PCB 59	EPA 1668C
PCB 6	EPA 1668C
PCB 60	EPA 1668C
PCB 61	EPA 1668C
PCB 62	EPA 1668C
PCB 63	EPA 1668C
PCB 64	EPA 1668C
PCB 65	EPA 1668C
PCB 66	EPA 1668C
PCB 67	EPA 1668C
PCB 68	EPA 1668C
PCB 69	EPA 1668C
PCB 7	EPA 1668C
PCB 70	EPA 1668C
PCB 71	EPA 1668C
PCB 72	EPA 1668C
PCB 73	EPA 1668C
PCB 74	EPA 1668C
PCB 75	EPA 1668C
PCB 76	EPA 1668C
PCB 77	EPA 1668C
PCB 78	EPA 1668C
PCB 79	EPA 1668C
PCB 8	EPA 1668C

Serial No.: 62965

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2022
Issued April 01, 2021

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. MARTHA MAIER
VISTA ANALYTICAL LABORATORY
1104 WINDFIELD WAY
EL DORADO HILLS, CA 95762

NY Lab Id No: 11411

is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:

Polychlorinated Biphenyls

PCB 80	EPA 1668C
PCB 81	EPA 1668C
PCB 82	EPA 1668C
PCB 83	EPA 1668C
PCB 84	EPA 1668C
PCB 85	EPA 1668C
PCB 86	EPA 1668C
PCB 87	EPA 1668C
PCB 88	EPA 1668C
PCB 89	EPA 1668C
PCB 9	EPA 1668C
PCB 90	EPA 1668C
PCB 91	EPA 1668C
PCB 92	EPA 1668C
PCB 93	EPA 1668C
PCB 94	EPA 1668C
PCB 95	EPA 1668C
PCB 96	EPA 1668C
PCB 97	EPA 1668C
PCB 98	EPA 1668C
PCB 99	EPA 1668C
PCB Congeners, Total	EPA 1668C

NEW YORK
STATE OF
OPPORTUNITY

Department
of Health

Serial No.: 62965

Property of the New York State Department of Health. Certificates are valid only at the address shown; must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2022
Issued April 01, 2021

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. MARTHA MAIER
VISTA ANALYTICAL LABORATORY
1104 WINDFIELD WAY
EL DORADO HILLS, CA 95762

NY Lab Id No: 11411

is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved analytes are listed below:

Dioxins and Furans

1,2,3,4,6,7,8,9-Octachlorodibenzofuran	EPA 8290A
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-diox	EPA 8290A
1,2,3,4,6,7,8-Heptachlorodibenzofuran	EPA 8290A
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxi	EPA 8290A
1,2,3,4,7,8,9-Heptachlorodibenzofuran	EPA 8290A
1,2,3,4,7,8-Hexachlorodibenzofuran	EPA 8290A
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	EPA 8290A
1,2,3,6,7,8-Hexachlorodibenzofuran	EPA 8290A
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin	EPA 8290A
1,2,3,7,8,9-Hexachlorodibenzofuran	EPA 8290A
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin	EPA 8290A
1,2,3,7,8-Pentachlorodibenzofuran	EPA 8290A
1,2,3,7,8-Pentachlorodibenzo-p-dioxin	EPA 8290A
2,3,4,6,7,8-Hexachlorodibenzofuran	EPA 8290A
2,3,4,7,8-Pentachlorodibenzofuran	EPA 8290A
2,3,7,8-Tetrachlorodibenzofuran	EPA 8290A
2,3,7,8-Tetrachlorodibenzo-p-dioxin	EPA 8290A

NEW YORK
STATE OF
OPPORTUNITY

Department
of Health

Serial No.: 62966

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.

